

MabTrack level adalimumab

Kit cover sheet

Date of compilation: 2022-12-06

Composition/information on ingredients

Hazardous components (including safety data sheet)

Components	Classification acc. to GHS	Pictograms	Page
Calibrators & Controls MabTrack level adalimumab	Met. Corr. 1 / H290 Skin Irrit. 3 / H316 Eye Dam. 1 / H318 Aquatic Acute 3 / H402 Aquatic Chronic 3 / H412	A Contraction of the second se	2-18
Human anti-adalimumab HRP-conjug- ate			19-32
HPE Dilution Buffer	Met. Corr. 1 / H290 Skin Irrit. 3 / H316 Eye Dam. 1 / H318 Aquatic Acute 3 / H402 Aquatic Chronic 3 / H412	A Contraction of the second se	33 - 49
Stop solution	Skin Irrit. 3 / H316		50-61

Non hazardous components (no safety data sheet attached)

Components					
Mouse-anti-TNF/recombinant TNF pre-coated microtiter plate					
Plate seals					
Wash buffer stock solution					
TMB substrate solution					



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier	
	Trade name	Calibrators & Controls MabTrack level adalimu- mab
	Article number	M2912, M2913, M2914
1.2	Relevant identified uses of the substance or mixt	ure and uses advised against
	Relevant identified uses	For research use only
	Uses advised against	Do not use for squirting or spraying.
1.3	Details of the supplier of the safety data sheet	
	Sanquin Reagents B.V. Plesmanlaan 125 1066 CX Amsterdam Netherlands	
	Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl Website: www.sanquin.org/reagents	
	e-mail (competent person)	CSVAM@sanquin.nl

e-mail (competent person)

1.4 **Emergency telephone number**

Emergency information service

+31 20 512 3599 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00, (CET)

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	3	Skin Irrit. 3	H316
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1A	hazardous to the aquatic environment - acute hazard	3	Aquatic Acute 3	H402
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of H-phrases: see SECTION 16

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- signal word

Danger

- pictograms GHS05



Page: 1 / 17



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

- hazard statements	
H290	May be corrosive to metals.
H316	Causes mild skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
- precautionary stateme	ents
P234	Keep only in original packaging.
P273	Avoid release to the environment.
P280	Wear eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.
P406	Store in a corrosion resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- hazardous ingredients for labelling

Contains: tetrasodium ethylenediaminetetraacetate; hydrochloric acid ... %.

2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or $vPvB \ge 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylene- diaminetetraacetate	CAS No 64-02-8	1-<2.5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373 Aquatic Acute 3 / H402		
sodium chloride	CAS No 7647-14-5	1-<2.5	Acute Tox. 5 / H303 Acute Tox. 5 / H333		
hydrochloric acid %	CAS No 7647-01-0	1-<2.5	Press. Gas C / H280 Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		B(a) U(b)

Notes

B(a): The classification refers to an aqueous solution

U(b): The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.





Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill Covering of drains.

Advice on how to clean up a spill Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- corrosive conditions
- Store in corrosive resistant container with a resistant inner liner.
- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.





Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

- packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	0.6 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.2 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	2,069 mg/ m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	2,069 mg/ m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
sodium chloride	7647-14-5	DNEL	295.5 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	295.5 mg/ kg bw/day	human, dermal	worker (industry)	acute - systemic effects
sodium chloride	7647-14-5	DNEL	443.3 mg/ m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	443.3 mg/ m ³	human, inhalatory	consumer (private households)	acute - systemic effects
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, dermal	consumer (private households)	acute - systemic ef
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, oral	consumer (private households)	chronic - systemic effects



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time	
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, oral	consumer (private households)	acute - systemic ef- fects	
hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects	
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	acute - local effects	
hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects	
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects	

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	2.83 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.283 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	50 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	1.1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
sodium chloride	7647-14-5	PNEC	5 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
sodium chloride	7647-14-5	PNEC	500 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium chloride	7647-14-5	PNEC	4.86 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	45 ^{µg} / _l	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls General ventilation.



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1)	Revision: 2022-12-05
Individual protection measures (personal	protective equipment)
Eye/face protection	$\overline{\mathbf{\Theta}}$
Use safety goggle with side protection	
Skin protection	
Chemical protective clothing.	-
- hand protection	
	permeability prior to use. For special purposes, it is recommended to check the

Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: \geq 0,38 mm.

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	LEL: UEL: not determined



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

Flash point	not applicable			
Auto-ignition temperature	not relevant			
Decomposition temperature	no data available			
pH (value)	7-8			
Kinematic viscosity	not determined			
Solubility(ies)				
Water solubility	miscible in any proportion			

Partition coefficient n-octanol/water (log value) this information is not available

Vapour pressure	33,900 Torr at 25 °C calculated value, referring to a component of the mixture
-----------------	--

Density	not determined
---------	----------------

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

There is no additional information.

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	
Miscibility	Completely miscible with water.

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

ſ

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	>1,780 ^{mg} / _{kg}		
tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1.5 ^{mg} /ı/4h		
sodium chloride	7647-14-5	oral	3,000 ^{mg} / _{kg}		
sodium chloride	7647-14-5	inhalation: dust/mist	>10.5 ^{mg} / _l /4h		
hydrochloric acid %	7647-01-0	oral	700 ^{mg} / _{kg}		

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
tetrasodium ethylenediaminetetraacet- ate	64-02-8	oral	LD50	>1,780-<2,00 0 ^{mg} / _{kg}	rat
sodium chloride	7647-14-5	oral	LD50	3,000 ^{mg} / _{kg}	rat
sodium chloride	7647-14-5	dermal	LD50	>10,000 ^{mg} / _{kg}	rabbit
sodium chloride	7647-14-5	inhalation: dust/ mist	LC50	>42 ^g / _{m³} /1h	rat
hydrochloric acid %	7647-01-0	oral	LD50	700 ^{mg} / _{kg}	rat
hydrochloric acid %	7647-01-0	dermal	LD50	>5,010 ^{mg} / _{kg}	rabbit
hydrochloric acid %	7647-01-0	inhalation: vapour	LC50	1,562 ^{mg} / _l /4h	rat

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.





Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
tetrasodium ethylenediaminetet- raacetate	64-02-8	LC50	>100 ^{mg} / _l	fish	96 h	
tetrasodium ethylenediaminetet- raacetate	64-02-8	EC50	>114 ^{mg} / _l	aquatic invertebrates	48 h	
tetrasodium ethylenediaminetet- raacetate	64-02-8	ErC50	>60 ^{mg} / _l	algae	72 h	
tetrasodium ethylenediaminetet- raacetate	64-02-8	NOEC	100 ^{mg} / _l	fish	96 h	
sodium chloride	7647-14-5	EC50	4,026 ^{mg} / _l	daphnia magna	48 h	
sodium chloride	7647-14-5	LC50	5,840 ^{mg} / _l	fish	96 h	
hydrochloric acid %	7647-01-0	LC50	20.5 ^{mg} / _l	bluegill (Lepomis mac- rochirus)	96 h	
hydrochloric acid %	7647-01-0	EC50	0.45 ^{mg} / _l	daphnia magna	48 h	
hydrochloric acid %	7647-01-0	EC50	0.73 ^{mg} / _l	algae	72 h	



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

Aquatic toxicity (chronic) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
tetrasodium ethylenediaminetet- raacetate	64-02-8	NOEC	≥35.1 ^{mg} / _l	fish	35 d	
tetrasodium ethylenediaminetet- raacetate	64-02-8	LOEC	50 ^{mg} / _l	aquatic invertebrates	21 d	
tetrasodium ethylenediaminetet- raacetate	64-02-8	growth (EbCx) 10%	>500 ^{mg} / _l	microorganisms	30 min	
sodium chloride	7647-14-5	LC50	874 ^{mg} / _l	aquatic invertebrates	24 h	
sodium chloride	7647-14-5	EC50	2,430 ^{mg} / _l	algae	120 h	
sodium chloride	7647-14-5	NOEC	252 ^{mg} / _l	fish	33 d	
sodium chloride	7647-14-5	LOEC	352 ^{mg} / _l	fish	33 d	
sodium chloride	7647-14-5	growth rate (Er- Cx) 16%	5,800 ^{mg} / _l	algae	7 d	

12.2 Persistence and degradability

Degradability of components of the mixture					
Name of substance	CAS No	Process	Degradation rate	Time	Method
tetrasodium ethylenediaminetetraacet- ate	64-02-8	oxygen depletion	78 %	56 d	

12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
tetrasodium ethylenediaminetet- raacetate	64-02-8	1.8	-13.17 (25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or vPvB \ge 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0.1\%$.

12.7 Other adverse effects

Data are not available.

Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Sanquin Reagents

Revision: 2022-12-05

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste (Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

	· · · · · · · · · · · · · · · · · · ·	
14.1	UN number	
	RID	UN 1760
	IMDG-Code	UN 1760
	ICAO-TI	UN 1760
14.2	UN proper shipping name	
	RID	CORROSIVE LIQUID, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, N.O.S.
	ICAO-TI	Corrosive liquid, n.o.s.
	Technical name (Hazardous ingredients)	hydrochloric acid %, Thiomersal
14.3	Transport hazard class(es)	
	RID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	RID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	

14.7 Maritime transport in bulk according to IMO instruments No data available.

There is no additional information.

Information for each of the UN Model Regulations



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Revision: 2022-12-05

aces version of: 2021-12-09 (1)	
Transport information - national regulation	s - additional information (UN RTDG)
UN number	1760
Class	8
Packing group	III
Danger label(s)	8
Special provisions (SP)	223, 274 (UN RTDG)
Excepted quantities (EQ)	E1 (UN RTDG)
Limited quantities (LQ)	5 L (UN RTDG)
Regulations concerning the International C information	arriage of Dangerous Goods by Rail (RID) - additional
Classification code	C9
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	80
International Maritime Dangerous Goods C	ode (IMDG) - additional information
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	Α
International Civil Aviation Organization (IC	AO-IATA/DGR) - additional information
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L



Sanquin Reagents

Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2022-12-05. (YYYY-MM-DD). Version number: 2.0.

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.1		Classification acc. to GHS: change in the listing (table)
2.2	- hazardous ingredients for labelling: tetrasodium ethylenediaminetetraacetate; hydrochloric acid %	- hazardous ingredients for labelling: Contains: tetrasodium ethylenediaminetetraacetate; hy- drochloric acid %.
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of \geq 0.1%.
7.2	- packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.	- packaging compatibilities: Keep only in original container.
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components of the mixture: change in the listing (table)
9.1	Relative vapour density: this information is not available	
11.1		Acute toxicity estimate (ATE) of components of the mix- ture: change in the listing (table)
11.1		Acute toxicity of components of the mixture: change in the listing (table)
11.2	Information on other hazards: There is no additional information.	Information on other hazards
11.2		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of $\geq 0.1\%$.
11.2		Other information: There is no additional information.
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
12.2	Persistence and degradability: Data are not available.	Persistence and degradability
12.2		Degradability of components of the mixture: change in the listing (table)



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

Section	Former entry (text/value)	Actual entry (text/value)
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of $\geq 0.1\%$.
14.2	Technical name (Hazardous ingredients): hydrochloric acid %, organic compounds of mercury	Technical name (Hazardous ingredients): hydrochloric acid %, Thiomersal
14.7		Regulations concerning the International Carriage of Dan- gerous Goods by Rail (RID) - additional information
14.7		Classification code: C9
14.7		Danger label(s): 8
14.7		Danger label(s): change in the listing (table)
14.7		Special provisions (SP): 274
14.7		Excepted quantities (EQ): E1
14.7		Limited quantities (LQ): 5 L
14.7		Transport category (TC): 3
14.7		Hazard identification No: 80
16		Abbreviations and acronyms: change in the listing (table)
16	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations				
Acute Tox.	Acute toxicity				
Aquatic Acute	Hazardous to the aquatic environment - acute hazard				
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard				
ATE	Acute Toxicity Estimate				
BCF	Bioconcentration factor				
BOD	Biochemical Oxygen Demand				
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)				
COD	Chemical oxygen demand				



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Revision: 2022-12-05

Abbr.	Descriptions of used abbreviations			
DGR	Dangerous Goods Regulations (see IATA/DGR)			
DMEL	Derived Minimal Effect Level			
DNEL	Derived No-Effect Level			
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval			
EmS	Emergency Schedule			
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control			
Eye Dam.	Seriously damaging to the eye			
Eye Irrit.	Irritant to the eye			
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations			
GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")			
IATA	International Air Transport Association			
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)			
ICAO	International Civil Aviation Organization			
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air			
IMDG	International Maritime Dangerous Goods Code			
IMDG-Code	International Maritime Dangerous Goods Code			
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethatity during a specified time interval			
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe cified time interval			
LEL	Lower explosion limit (LEL)			
LOEC	Lowest Observed Effect Concentration			
log KOW	n-Octanol/water			
Met. Corr.	Substance or mixture corrosive to metals			
NOEC	No Observed Effect Concentration			
PBT	Persistent, Bioaccumulative and Toxic			
PNEC	Predicted No-Effect Concentration			
Press. Gas	Gas under pressure			
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations conce ing the International carriage of Dangerous goods by Rail)			
Skin Corr.	Corrosive to skin			
Skin Irrit.	Irritant to skin			
STOT RE	Specific target organ toxicity - repeated exposure			
STOT SE	Specific target organ toxicity - single exposure			
UEL	Upper explosion limit (UEL)			
vPvB	Very Persistent and very Bioaccumulative			



Calibrators & Controls MabTrack level adalimumab

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-05

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text			
H280	Contains gas under pressure; may explode if heated.			
H290	May be corrosive to metals.			
H302	Harmful if swallowed.			
H303	May be harmful if swallowed.			
H314	Causes severe skin burns and eye damage.			
H316	Causes mild skin irritation.			
H318	Causes serious eye damage.			
H332	Harmful if inhaled.			
H333	May be harmful if inhaled.			
H335	May cause respiratory irritation.			
H373	May cause damage to organs through prolonged or repeated exposure.			
H400	Very toxic to aquatic life.			
H402	Harmful to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H412	Harmful to aquatic life with long lasting effects.			

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Iran, Islamic Republic of: en

Safety Data Sheet

acc. to GHS-UN

Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier
	Trade name

Article number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

1.3 Details of the supplier of the safety data sheet

Sanguin Reagents B.V. Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl Website: www.sanquin.org/reagents

e-mail (competent person)

1.4 **Emergency telephone number**

Emergency information service

M2915

Human anti-adalimumab HRP-conjugate

For research use only

CSVAM@sanquin.nl

+31 20 512 3599 This number is only available during the following office hours: Mon-Fri 09:00 - 17:00, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling

Not required.

- hazardous ingredients for labelling reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one (3:1).

2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment Does not contain any substances that are assessed to be PBT or vPvB \ge 0.1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0.1\%$.



Revision: 2022-12-06



acc. to GHS-UN

Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one and 2- methyl-2H -isothiazol-3- one (3:1)	CAS No 55965-84-9	<1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.





Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

acc. to GHS-UN



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Managing of associated risks

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available. Countries not listed may have their own country specific values.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	DNEL	0.02 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	DNEL	0.04 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	DNEL	0.02 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	DNEL	0.04 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	DNEL	0.09 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	DNEL	0.11 mg/kg bw/day	human, oral	consumer (private households)	acute - systemic ef- fects
Relevant PNECs of c	components of	the mixture				
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	PNEC	3.39 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	PNEC	3.39 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	PNEC	0.23 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	PNEC	0.027 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	PNEC	0.027 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H -iso- thiazol-3-one (3:1)	55965-84-9	PNEC	0.01 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection

Skin protection



 Θ





Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Chemical protective clothing.

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >10 minutes (permeation: level 1).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	various
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	LEL: UEL: not determined
Flash point	not applicable
Auto-ignition temperature	not relevant
Decomposition temperature	no data available
pH (value)	6.8 - 7.2
Kinematic viscosity	not determined



Human anti-adalimumab HRP-conjugate

number: 2.0 s version of: 2021-12-09 (1)	Revision: 2022-12-06
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient n-octanol/water (log value)	this information is not available
	1
Vapour pressure	not determined
Density	1 9/ _{cm³}
Particle characteristics	not relevant (liquid)
Other information There is no additional information.	
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Miscibility	Completely miscible with water.
	wersion of: 2021-12-09 (1) Solubility(ies) Water solubility Partition coefficient n-octanol/water (log value) Vapour pressure Density Particle characteristics Other information There is no additional information. Information with regard to physical hazard classes Other safety characteristics

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

acc. to GHS-UN



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	oral	457 ^{mg} / _{kg}
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	dermal	660 ^{mg} / _{kg}
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	inhalation: vapour	11 ^{mg} / _l /4h
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one and 2-methyl-2H -isothiazol-3-one (3:1)	55965-84-9	inhalation: dust/mist	2.36 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3-one (3:1)	55965-84-9	oral	LD50	457 ^{mg} / _{kg}	rat
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3-one (3:1)	55965-84-9	inhalation: dust/ mist	LC50	2.36 ^{mg} / _l /4h	rat
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one and 2-methyl-2H - isothiazol-3-one (3:1)	55965-84-9	dermal	LD50	660 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

acc. to GHS-UN



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0.1\%$.

Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	LC50	0.19 ^{mg} / _l	fish	96 h
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	EC50	0.16 ^{mg} / _l	aquatic invertebrates	48 h
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	ErC50	19.9 ^{µg} / _l	algae	72 h
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	NOEC	0.13 ^{mg} / _l	fish	96 h

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
reaction mass of: 5-chloro-2- nethyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	LC50	0.07 ^{mg} / _l	fish	14 d
reaction mass of: 5-chloro-2- nethyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	EC50	>0.18 ^{mg} / _l	aquatic invertebrates	21 d
reaction mass of: 5-chloro-2- nethyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	ErC50	45.6 ^{µg} / _l	algae	120 h

Revision: 2022-12-06



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	NOEC	≥46.4 ^{µg} / _I	fish	35 d
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	LOEL	0.06 ^{mg} / _l	fish	36 d
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one and 2- methyl-2H -isothiazol-3-one (3:1)	55965-84-9	LOEC	0.144 ^{mg} / _l	fish	28 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or $vPvB \ge 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regu- lations



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments No data available.

Information for each of the UN Model Regulations

Transport information - national regulations - additional information (UN RTDG) Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2022-12-06. (YYYY-MM-DD). Version number: 2.0.

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of ≥ 0.1%.
3.2		Mixtures: change in the listing (table)
7.2	- packaging compatibilities: Keep only in original container.	- packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components of the mixture: change in the listing (table)
11.1		Acute toxicity estimate (ATE) of components of the mix- ture: change in the listing (table)
11.1		Acute toxicity of components of the mixture: change in the listing (table)
11.2	Information on other hazards: There is no additional information.	Information on other hazards
11.2		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of $\geq 0.1\%$.



acc. to GHS-UN

Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Revision: 2022-12-06

Section	Former entry (text/value)	Actual entry (text/value)
11.2		Other information: There is no additional information.
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
12.6	Endocrine disrupting properties: Information on this property is not available.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of $\geq 0.1\%$.
16		Abbreviations and acronyms: change in the listing (table)
16	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval
LEL	Lower explosion limit (LEL)
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
UEL	Upper explosion limit (UEL)
UN RTDG	UN Recommendations on the Transport of Dangerous Good
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.



Human anti-adalimumab HRP-conjugate

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Sanquin Reagents

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier
	Trade name

Article number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Uses advised against Revision: 2022-12-06

For research use only

HPE Dilution Buffer

article number, M2940

Do not use for squirting or spraying.

1.3 Details of the supplier of the safety data sheet

Sanquin Reagents B.V. Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl Website: www.sanquin.org/reagents

e-mail (competent person)

1.4 Emergency telephone number

Emergency information service

+31 20 512 3599 This number is only available o

CSVAM@sanguin.nl

This number is only available during the following office hours: Mon-Fri 09:00 - 17:00, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	3	Skin Irrit. 3	H316
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1A	hazardous to the aquatic environment - acute hazard	3	Aquatic Acute 3	H402
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of H-phrases: see SECTION 16

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- signal word

Danger

- pictograms







acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

hazard statements	
H290	May be corrosive to metals.
H316	Causes mild skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
precautionary stateme	ents
P234	Keep only in original packaging.
P273	Avoid release to the environment.
P280	Wear eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P390	Absorb spillage to prevent material damage.
P406	Store in a corrosion resistant container with a resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

- hazardous ingredients for labelling

Contains: tetrasodium ethylenediaminetetraacetate; hydrochloric acid ... %.

2.3 Other hazards

There is no additional information.

Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or $vPvB \ge 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylene- diaminetetraacetate	CAS No 64-02-8	1-<2.5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373 Aquatic Acute 3 / H402		
sodium chloride	CAS No 7647-14-5	1-<2.5	Acute Tox. 5 / H303 Acute Tox. 5 / H333		
hydrochloric acid %	CAS No 7647-01-0	1-<2.5	Press. Gas C / H280 Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		B(a) U(b)

Notes

B(a): The classification refers to an aqueous solution

U(b): The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.



acc. to GHS-UN

HPE Dilution Buffer

Revision: 2022-12-06

Version number: 2.0 Replaces version of: 2021-12-09 (1)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill Covering of drains.

Advice on how to clean up a spill Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- corrosive conditions
- Store in corrosive resistant container with a resistant inner liner.
- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

- packaging compatibilities Keep only in original container.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available. Countries not listed may have their own country specific values.

Relevant DNELs/DMELs/PNECs and other threshold levels

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.5 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	3 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	0.6 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	1.2 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
tetrasodium ethylene- diaminetetraacetate	64-02-8	DNEL	25 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	2,069 mg/ m ³	human, inhalatory	worker (industry)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	2,069 mg/ m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
sodium chloride	7647-14-5	DNEL	295.5 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	295.5 mg/ kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
sodium chloride	7647-14-5	DNEL	443.3 mg/ m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	443.3 mg/ m ³	human, inhalatory	consumer (private households)	acute - systemic effects
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, dermal	consumer (private households)	acute - systemic ef
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, oral	consumer (private households)	chronic - systemic effects



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Revision: 2022-12-06

Relevant DNELs of components of the mixture							
Name of sub- stance	Used in	Exposure time					
sodium chloride	7647-14-5	DNEL	126.7 mg/ kg bw/day	human, oral	consumer (private households)	acute - systemic ef- fects	
hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects	
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	acute - local effects	
hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects	
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects	

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	2.83 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.283 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	50 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	1.1 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
sodium chloride	7647-14-5	PNEC	5 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
sodium chloride	7647-14-5	PNEC	500 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
sodium chloride	7647-14-5	PNEC	4.86 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)	
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)	
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
hydrochloric acid %	7647-01-0	PNEC	45 ^{µg} / _l	aquatic organisms	water	intermittent release	

8.2 Exposure controls

Appropriate engineering controls General ventilation.

Sanquin Reagents

acc. to GHS-UN

HPE Dilution Buffer

 Version number: 2.0 Replaces version of: 2021-12-09 (1)
 Revision: 2022-12-06

 Individual protection measures (personal protective equipment)
 Eye/face protection

 Eye/face protection
 Image: Comparison of the protection

 Use safety goggle with side protection
 Image: Comparison of the protective clothing.

 Chemical protective clothing.
 Image: Comparison of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

 . type of material
 .

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: \geq 0,38 mm.

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	various
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	LEL: UEL: not determined



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Flash point	not applicable
Auto-ignition temperature	not relevant
Decomposition temperature	no data available
pH (value)	7-8
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion

Partition coefficient n-octanol/water (log value) this information is not available

Vapour pressure	33,900 Torr at 25 $^{\circ}\text{C}$ calculated value, referring to a component of the mixture
-----------------	--

Density	not determined
---------	----------------

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

9.2 Other information

There is no additional information.

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	
Miscibility	Completely miscible with water.

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

ſ

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	>1,780 ^{mg} / _{kg}		
tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1.5 ^{mg} /ı/4h		
sodium chloride	7647-14-5	oral	3,000 ^{mg} / _{kg}		
sodium chloride	7647-14-5	inhalation: dust/mist	>10.5 ^{mg} / _l /4h		
hydrochloric acid %	7647-01-0	oral	700 ^{mg} / _{kg}		

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
tetrasodium ethylenediaminetetraacet- ate	64-02-8	oral	LD50	>1,780-<2,00 0 ^{mg} / _{kg}	rat
sodium chloride	7647-14-5	oral	LD50	3,000 ^{mg} / _{kg}	rat
sodium chloride	7647-14-5	dermal	LD50	>10,000 ^{mg} / _{kg}	rabbit
sodium chloride	7647-14-5	inhalation: dust/ mist	LC50	>42 ^g / _{m³} /1h	rat
hydrochloric acid %	7647-01-0	oral	LD50	700 ^{mg} / _{kg}	rat
hydrochloric acid %	7647-01-0	dermal	LD50	>5,010 ^{mg} / _{kg}	rabbit
hydrochloric acid %	7647-01-0	inhalation: vapour	LC50	1,562 ^{mg} / _l /4h	rat

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetet- raacetate	64-02-8	LC50	>100 ^{mg} / _l	fish	96 h
tetrasodium ethylenediaminetet- raacetate	64-02-8	EC50	>114 ^{mg} / _l	aquatic invertebrates	48 h
tetrasodium ethylenediaminetet- raacetate	64-02-8	ErC50	>60 ^{mg} / _l	algae	72 h
tetrasodium ethylenediaminetet- raacetate	64-02-8	NOEC	100 ^{mg} / _l	fish	96 h
sodium chloride	7647-14-5	EC50	4,026 ^{mg} / _l	daphnia magna	48 h
sodium chloride	7647-14-5	LC50	5,840 ^{mg} / _l	fish	96 h
hydrochloric acid %	7647-01-0	LC50	20.5 ^{mg} / _l	bluegill (Lepomis mac- rochirus)	96 h
hydrochloric acid %	7647-01-0	EC50	0.45 ^{mg} / _l	daphnia magna	48 h
hydrochloric acid %	7647-01-0	EC50	0.73 ^{mg} / _l	algae	72 h

Revision: 2022-12-06



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetet- raacetate	64-02-8	NOEC	≥35.1 ^{mg} / _l	fish	35 d
tetrasodium ethylenediaminetet- raacetate	64-02-8	LOEC	50 ^{mg} / _l	aquatic invertebrates	21 d
tetrasodium ethylenediaminetet- raacetate	64-02-8	growth (EbCx) 10%	>500 ^{mg} / _l	microorganisms	30 min
sodium chloride	7647-14-5	LC50	874 ^{mg} / _l	aquatic invertebrates	24 h
sodium chloride	7647-14-5	EC50	2,430 ^{mg} / _l	algae	120 h
sodium chloride	7647-14-5	NOEC	252 ^{mg} / _l	fish	33 d
sodium chloride	7647-14-5	LOEC	352 ^{mg} / _l	fish	33 d
sodium chloride	7647-14-5	growth rate (Er- Cx) 16%	5,800 ^{mg} / _l	algae	7 d

12.2 Persistence and degradability

Degradability of components of the mixture					
Name of substance	CAS No	Process	Degradation rate	Time	Method
tetrasodium ethylenediaminetetraacet- ate	64-02-8	oxygen depletion	78 %	56 d	

12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
tetrasodium ethylenediaminetet- raacetate	64-02-8	1.8	-13.17 (25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or vPvB \ge 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0.1\%$.

12.7 Other adverse effects

Data are not available.



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste (Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	
	RID	UN 1760
	IMDG-Code	UN 1760
	ICAO-TI	UN 1760
14.2	UN proper shipping name	
	RID	CORROSIVE LIQUID, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, N.O.S.
	ICAO-TI	Corrosive liquid, n.o.s.
	Technical name (Hazardous ingredients)	hydrochloric acid %, Thiomersal
14.3	Transport hazard class(es)	
	RID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	RID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	

Special precautions for user There is no additional information.

Maritime transport in bulk according to IMO instruments 14.7 No data available.

Information for each of the UN Model Regulations



acc. to GHS-UN

HPE Dilution Buffer

Revision: 2022-12-06

Transport information - national requ	lations - additional information (UN RTDG)
UN number	1760
Class	8
Packing group	Ш
Danger label(s)	8
Special provisions (SP)	223, 274 (UN RTDG)
Excepted quantities (EQ)	E1 (UN RTDG)
Limited quantities (LQ)	5 L (UN RTDG)
Regulations concerning the Internation	onal Carriage of Dangerous Goods by Rail (RID) - additional
Classification code	C9
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	80
International Maritime Dangerous Go	ods Code (IMDG) - additional information
Marine pollutant	-
Danger label(s)	8
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
International Civil Aviation Organizati	ion (ICAO-IATA/DGR) - additional information
Danger label(s)	8
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2022-12-06. (YYYY-MM-DD). Version number: 2.0.

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.1		Classification acc. to GHS: change in the listing (table)
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of ≥ 0.1%.
7.2	- packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.	- packaging compatibilities: Keep only in original container.
8.1		Relevant DNELs of components of the mixture: change in the listing (table)
8.1		Relevant PNECs of components of the mixture: change in the listing (table)
9.1	Relative vapour density: this information is not available	
11.1		Acute toxicity estimate (ATE) of components of the mix- ture: change in the listing (table)
11.1		Acute toxicity of components of the mixture: change in the listing (table)
11.2	Information on other hazards: There is no additional information.	Information on other hazards
11.2		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of $\geq 0.1\%$.
11.2		Other information: There is no additional information.
12.1		Aquatic toxicity (acute) of components of the mixture: change in the listing (table)
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)
12.2	Persistence and degradability: Data are not available.	Persistence and degradability
12.2		Degradability of components of the mixture: change in the listing (table)
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)



acc. to GHS-UN

HPE Dilution Buffer

Revision: 2022-12-06

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Section	Former entry (text/value)	Actual entry (text/value)
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of $\geq 0.1\%$.
14.2	Technical name (Hazardous ingredients): hydrochloric acid %, organic compounds of mercury	Technical name (Hazardous ingredients): hydrochloric acid %, Thiomersal
14.7		Regulations concerning the International Carriage of Dan- gerous Goods by Rail (RID) - additional information
14.7		Classification code: C9
14.7		Danger label(s): 8
14.7		Danger label(s): change in the listing (table)
14.7		Special provisions (SP): 274
14.7		Excepted quantities (EQ): E1
14.7		Limited quantities (LQ): 5 L
14.7		Transport category (TC): 3
14.7		Hazard identification No: 80
16		Abbreviations and acronyms: change in the listing (table)
16	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)



acc. to GHS-UN

HPE Dilution Buffer

Revision: 2022-12-06

Version number: 2.0 Replaces version of: 2021-12-09 (1)

DMEL Derived Minimal Effect Level DNEL Concentration 50 %. The ECS0 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval EmS Effective Concentration 50 %. The ECS0 corresponds to the concentration a tested substance causing 50 % changes in growth rate (EnCS0) or growth rate (EnCS0) relative to the control EmS Effective Concentration of test substance which results in a 50 % reduction in either growth (EbCS0) or growth rate (EnCS0) relative to the control Eye Init. Grobally Harmonized System of Classification and Labelling of Chemicals ("Purple book") GHS-UN Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book") IATA International Air Transport Association IATA Colobally Harmonized System of Classification and Labelling of Chemicals ("Purple book") ICAO-TI Technical instructions for the sale transport (ATA) ICAO-TI Technical instructions for the sale transport of dangerous goods by air ICAO-TI Technical instructions for the sale transport of dangerous goods by air IDAG International Maritime Dangerous Goods Code IMDG Lethal Concentration 50%: the LCSO corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval IDSO Lethal Dose 50 %: the LD	Abbr.	Descriptions of used abbreviations
ECS0 Effective Concentration 50 %. The ECS0 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval EmS Emergency Schedule Er(S0 = EO50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EDS0) or growth at a (ErCS0) relative to the control Eye Dam. Seriously damaging to the eye Eye Inti. Initiant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals (Purple book") IATA International Air Transport Association IATADGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code ILEU Lethal Concentration 50%: the LCS0 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LEL Lethal Dose 50 %: the LDS0 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) LOSC Lethal Dose 50 %: the LDS0 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval <td>DMEL</td> <td>Derived Minimal Effect Level</td>	DMEL	Derived Minimal Effect Level
changes in response (e.g. on growth) during a specified time interval EnrS Emergency Schedule ErGS0 = EOS0: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErGS0) relative to the control Eye Dam. Seriously damaging to the eye Eye Init. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals (Purple book") IATA Globally Harmonized System of Classification and Labelling of Chemicals (Purple book") IATA Globally Harmonized System of Classification and Labelling of Chemicals (Purple book") IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LEL Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) DMEC No ECO No ECO	DNEL	Derived No-Effect Level
ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Inrit. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations GHS.UN Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book") IATA International Air Transport Association IATA Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Avaition Organization ICAO International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code ILC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) Met Corr. Substance or mixture corrosive to metals NOEC	EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
(EbC50) or growth rate (ErC50) relative to the control Eye Dam. Seriously damaging to the eye Eye Init. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations GHS-UN Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book") IATA International Air Transport Association IATA Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code IMDG Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) LOEC No Observed Effect Concentration Ope Substance or mixture corrosive to metals Precisitent, Bioaccumulative and Toxic PNEC Preci	EmS	Emergency Schedule
Eye Init. Initial to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations GHS-UN Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book") IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) LOEC Lower substance or mixture corrosive to metals NOEC No Observed Effect Concentration PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration PPBT Persistent, Bioaccumulative and Soxic Reglemen	ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations GHS-UN Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book") IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code ILC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the concentration log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NOEC No Dbserved Effect Concentration	Eye Dam.	Seriously damaging to the eye
GHS-UN Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book") IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-T1 Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG International Maritime Dangerous Goods Code ILC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance trausing 50 % lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose	Eye Irrit.	Irritant to the eye
IATA International Air Transport Association IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval LEL Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) LOEC No Observed Effect Concentration PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration PNEC Predicted No-Effect Concentration PNEC Predicted No-Effect Concentration PNEC Predicted No-Effect Concentration PNEC Predicted No-Effect Concentratio	GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) LOEC Lower observed Effect Concentration log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NOEC No Observed Effect Concentration PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration Press. Gas Gas under pressure RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Fail) Skin Corr.	GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")
ICAO International Civil Aviation Organization ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval LEL Lower explosion limit (LEL) LOEC Lower of Lower explosion limit (LEL) LOEC Lower of tested Substance causing 50 % lethality during a spe- cified time interval log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NOEC No Observed Effect Concentration PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration Press.Gas Gas under pressure RID Reglement concernant le transport International carriage of Dangerous goods by Pail) Skin Corr. Corrosive to skin <t< td=""><td>ΙΑΤΑ</td><td>International Air Transport Association</td></t<>	ΙΑΤΑ	International Air Transport Association
ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- lty during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) LOEC Lower explosion limit (LEL) LOEC Lower or mixture corrosive to metals NOEC No Observed Effect Concentration log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NOEC No Observed Effect Concentration PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration Press. Gas Gas under pressure RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ling the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50% lethal- ity during a specified time interval LD50 Lethal Dose 50%: the LD50 corresponds to the dose of a tested substance causing 50% lethality during a spe- cified time interval LEL Lower explosion limit (LEL) LOEC Lowest Observed Effect Concentration log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NOEC No Observed Effect Concentration PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration PNEC Predicted No-Effect Concentration RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rall) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Stin Irrit. Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure UEL Upper explosion limit (UEL)	ICAO	International Civil Aviation Organization
IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval LEL Lower explosion limit (LEL) LOEC Lowest Observed Effect Concentration log KOW n-Octanol/water Met. Corr. Substance or mixture corrosive to metals NOEC No Observed Effect Concentration PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration Press. Gas Gas under pressure RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Stort RE Specific target organ toxicity - repeated exposure STOT RE Specific target organ toxicity - single exposure UEL Upper explosion limit (UEL)	ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
LC50Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time intervalLD50Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time intervalLELLower explosion limit (LEL)LOECLowest Observed Effect Concentrationlog KOWn-Octanol/waterMet. Corr.Substance or mixture corrosive to metalsNOECNo Observed Effect ConcentrationPBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPRES. GasGas under pressureRIDRèglement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)Skin Corr.Specific target organ toxicity - repeated exposureSTOT RESpecific target organ toxicity - single exposureUELUpper explosion limit (UEL)	IMDG	International Maritime Dangerous Goods Code
Ity during a specified time intervalLD50Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time intervalLELLower explosion limit (LEL)LOECLowest Observed Effect Concentrationlog KOWn-Octanol/waterMet. Corr.Substance or mixture corrosive to metalsNOECNo Observed Effect ConcentrationPBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPRS. GasGas under pressureRIDRèglement concernant le transport International carriage of Dangerous goods by Rail)Skin Corr.Specific target organ toxicity - repeated exposureStort RESpecific target organ toxicity - single exposureUELUpper explosion limit (UEL)	IMDG-Code	International Maritime Dangerous Goods Code
LELContentLELLower explosion limit (LEL)LOECLowest Observed Effect Concentrationlog KOWn-Octanol/waterMet. Corr.Substance or mixture corrosive to metalsNOECNo Observed Effect ConcentrationPBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPREGas under pressureRIDRèglement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rall)Skin Corr.Specific target organ toxicity - repeated exposureSTOT RESpecific target organ toxicity - single exposureUELUpper explosion limit (UEL)	LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval
LOECLowest Observed Effect Concentrationlog KOWn-Octanol/waterMet. Corr.Substance or mixture corrosive to metalsNOECNo Observed Effect ConcentrationPBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPress. GasGas under pressureRIDRèglement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)Skin Corr.Corrosive to skinStin Irrit.Irritant to skinSTOT RESpecific target organ toxicity - repeated exposureUELUpper explosion limit (UEL)	LD50	
log KOWn-Octanol/waterMet. Corr.Substance or mixture corrosive to metalsNOECNo Observed Effect ConcentrationPBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPress. GasGas under pressureRIDRèglement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)Skin Corr.Corrosive to skinStort RESpecific target organ toxicity - repeated exposureSTOT SESpecific target organ toxicity - single exposureUELUpper explosion limit (UEL)	LEL	Lower explosion limit (LEL)
Met. Corr.Substance or mixture corrosive to metalsNOECNo Observed Effect ConcentrationPBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPress. GasGas under pressureRIDRèglement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)Skin Corr.Corrosive to skinStort RESpecific target organ toxicity - repeated exposureSTOT SESpecific target organ toxicity - single exposureUELUpper explosion limit (UEL)	LOEC	Lowest Observed Effect Concentration
NOECNo Observed Effect ConcentrationPBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPress. GasGas under pressureRIDRèglement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)Skin Corr.Corrosive to skinSkin Irrit.Irritant to skinSTOT RESpecific target organ toxicity - repeated exposureUELUpper explosion limit (UEL)	log KOW	n-Octanol/water
PBTPersistent, Bioaccumulative and ToxicPNECPredicted No-Effect ConcentrationPress. GasGas under pressureRIDRèglement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)Skin Corr.Corrosive to skinSkin Irrit.Irritant to skinSTOT RESpecific target organ toxicity - repeated exposureUELUpper explosion limit (UEL)	Met. Corr.	Substance or mixture corrosive to metals
PNEC Predicted No-Effect Concentration Press. Gas Gas under pressure RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin STOT RE Specific target organ toxicity - repeated exposure UEL Upper explosion limit (UEL)	NOEC	No Observed Effect Concentration
Press. Gas Gas under pressure RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin STOT RE Specific target organ toxicity - repeated exposure STOT SE UEL UEL Upper explosion limit (UEL)	PBT	Persistent, Bioaccumulative and Toxic
RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin STOT RE Specific target organ toxicity - repeated exposure STOT SE Upper explosion limit (UEL)	PNEC	Predicted No-Effect Concentration
Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure UEL Upper explosion limit (UEL)	Press. Gas	Gas under pressure
Skin Irrit. Irritant to skin STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure UEL Upper explosion limit (UEL)	RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)
STOT RE Specific target organ toxicity - repeated exposure STOT SE Specific target organ toxicity - single exposure UEL Upper explosion limit (UEL)	Skin Corr.	Corrosive to skin
STOT SE Specific target organ toxicity - single exposure UEL Upper explosion limit (UEL)	Skin Irrit.	Irritant to skin
UEL Upper explosion limit (UEL)	STOT RE	Specific target organ toxicity - repeated exposure
	STOT SE	Specific target organ toxicity - single exposure
vPvB Very Persistent and very Bioaccumulative	UEL	Upper explosion limit (UEL)
	vPvB	Very Persistent and very Bioaccumulative



acc. to GHS-UN

HPE Dilution Buffer

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H280	Contains gas under pressure; may explode if heated.	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H303	May be harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H316	Causes mild skin irritation.	
H318	Causes serious eye damage.	
H332	Harmful if inhaled.	
H333	May be harmful if inhaled.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H402	Harmful to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking Product identifier

1.1	Product identifier	
	Trade name	Stop so
	Article number	M1823

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

1.3 Details of the supplier of the safety data sheet

Sanguin Reagents B.V. Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl Website: www.sanquin.org/reagents

e-mail (competent person)

1.4 **Emergency telephone number**

Emergency information service

Revision: 2022-12-06

+31 20 512 3599

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	3	Skin Irrit. 3	H316

For full text of H-phrases: see SECTION 16

2.2 Label elements

Labelling

Warning - signal word

Not required. - pictograms

- hazard statements H316

Causes mild skin irritation.

- precautionary statements

P332+P313 If skin irritation occurs: Get medical advice/attention.

Other hazards 2.3

There is no additional information.

Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or $vPvB \ge 0.1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.



olution

For research use only

CSVAM@sanquin.nl

This number is only available during the following office hours: Mon-Fri 09:00 - 17:00, (CET)



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain (other) ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
sulphuric acid	CAS No 7664-93-9	1-<2.5	Acute Tox. 5 / H303 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Aquatic Acute 3 / H402 Aquatic Chronic 2 / H411		

Remarks

All the percentages given are percentages by weight unless stated otherwise. For full text of H-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray; Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



acc. to GHS-UN

Stop solution

Revision: 2022-12-06

Version number: 2.0 Replaces version of: 2021-12-09 (1)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.

- handling of incompatible substances or mixtures

Do not mix with alkali.

- keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
sulphuric acid	7664-93-9	DNEL	0.05 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
sulphuric acid	7664-93-9	DNEL	0.1 mg/m ³	human, inhalatory	worker (industry)	acute - local effects



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06


Relevant PNECs of c	Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time	
sulphuric acid	7664-93-9	PNEC	0.003 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)	
sulphuric acid	7664-93-9	PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)	
sulphuric acid	7664-93-9	PNEC	8.8 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
sulphuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
sulphuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: \geq 0,38 mm.

- breakthrough time of the glove material

Use gloves with a minimum breakthrough time of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid
clear
characteristic
not determined
100 °C calculated value, referring to a component of the mixture
not determined
non-combustible
LEL: UEL: not determined
not applicable
not relevant
no data available
0.8 - 1 (acid)
not determined
-
miscible in any proportion
1
this information is not available
I
not determined
not determined

Particle characteristics

not relevant (liquid)

9.2 Other information

There is no additional information.



Version number: 2.0

acc. to GHS-UN

Stop solution

Replaces version of: 2021-12-09 (1)

Revision: 2022-12-06

Information with regard to physical hazard classes		hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics	
	Miscibility	Completely miscible with water.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions 10.3

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Bases. Oxidisers.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture				
Name of substance	CAS No	Exposure route	ATE	
sulphuric acid	7664-93-9	oral	2,140 ^{mg} / _{kg}	
sulphuric acid	7664-93-9	inhalation: vapour	3 ^{mg} /ı/4h	
sulphuric acid	7664-93-9	inhalation: dust/mist	0.85 ^{mg} / _l /4h	



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Acute toxicity of components of the mixture						
Name of substance	CAS No	Exposure route	Endpoint	Value	Species	
sulphuric acid	7664-93-9	oral	LD50	2,140 ^{mg} / _{kg}	rat	
sulphuric acid	7664-93-9	inhalation: dust/ mist	LC50	0.85 ^{mg} / _l /4h	mouse	

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0.1\%$.

Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
sulphuric acid	7664-93-9	LC50	<28 ^{mg} / _l	fish	96 h	
sulphuric acid	7664-93-9	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h	
sulphuric acid	7664-93-9	ErC50	>100 ^{mg} / _l	algae	72 h	



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulphuric acid	7664-93-9	NOEC	0.31 ^{mg} / _l	fish	213 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain any substances that are assessed to be PBT or vPvB \ge 0.1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0.1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regu- lations

- **14.6** Special precautions for user There is no additional information.
- **14.7 Maritime transport in bulk according to IMO instruments** No data available.



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Information for each of the UN Model Regulations

Transport information - national regulations - additional information (UN RTDG) Not subject to transport regulations: UN RTDG

International Maritime Dangerous Goods Code (IMDG) - additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2022-12-06. (YYYY-MM-DD). Version number: 2.0.

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.1		Classification acc. to GHS: change in the listing (table)
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of ≥ 0.1%.
3.2		Mixtures: change in the listing (table)
7.2	- packaging compatibilities: Keep only in original container.	- packaging compatibilities: Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.
9.1	Relative vapour density: this information is not available	
10.5	Incompatible materials: Oxidisers.	Incompatible materials: Bases. Oxidisers.
11.2	Information on other hazards: There is no additional information.	Information on other hazards
11.2		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of ≥ 0.1%.
11.2		Other information: There is no additional information.
12.6	Endocrine disrupting properties: None of the ingredients are listed.	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a con- centration of ≥ 0.1%.
16		Abbreviations and acronyms: change in the listing (table)



acc. to GHS-UN

Stop solution

Version number: 2.0 Replaces version of: 2021-12-09 (1) Revision: 2022-12-06

Section	Former entry (text/value)	Actual entry (text/value)
16	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).	Key literature references and sources for data: Globally Harmonized System of Classification and La- belling of Chemicals ("Purple book").UN Recommenda- tions on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
Acute Tox.	Acute toxicity	
Aquatic Acute	Hazardous to the aquatic environment - acute hazard	
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")	
ΙΑΤΑ	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethal- ity during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a spe- cified time interval	
LEL	Lower explosion limit (LEL)	
NOEC	No Observed Effect Concentration	
РВТ	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concern- ing the International carriage of Dangerous goods by Rail)	



acc. to GHS-UN

Stop solution

Revision: 2022-12-06

Version number: 2.0 Replaces version of: 2021-12-09 (1)

Abbr.	Descriptions of used abbreviations	
Skin Corr.	Corrosive to skin	
Skin Irrit.	Irritant to skin	
UEL	Upper explosion limit (UEL)	
UN RTDG	UN Recommendations on the Transport of Dangerous Good	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H303	May be harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H316	Causes mild skin irritation.	
H318	Causes serious eye damage.	
H331	Toxic if inhaled.	
H402	Harmful to aquatic life.	
H411	Toxic to aquatic life with long lasting effects.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.