

MabTrack level infliximab

Kit cover sheet

Date of compilation: 2021-12-14

Composition/information on ingredients

Hazardous components (including safety data sheet)

Components	Classification acc. to GHS	Pictograms	Page
Calibrators & Controls MabTrack level infliximab	Met. Corr. 1 / H290 Skin Irrit. 3 / H316 Eye Dam. 1 / H318 Aquatic Acute 3 / H402 Aquatic Chronic 3 / H412		2-16
Human anti-infliximab HRP-conjugate			17 – 29
HPE Dilution Buffer	Met. Corr. 1 / H290 Skin Irrit. 3 / H316 Eye Dam. 1 / H318 Aquatic Acute 3 / H402 Aquatic Chronic 3 / H412		30 - 44
Stop solution	Skin Irrit. 3 / H316		45 - 55

Non hazardous components (no safety data sheet attached)

Components
Mouse-anti-TNF/recombinant TNF pre-coated microtiter plate
Plate seals
Wash buffer stock solution
TMB substrate solution



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Calibrators & Controls MabTrack level infliximab

Article number M2922, M2923, M2924

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For research use only

Uses advised against Do not use for squirting or spraying. Not suitable for in vitro dia-

gnostic use.

1.3 Details of the supplier of the safety data sheet

Sanquin Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl

Website: www.sanquin.org/reagents

e-mail (competent person) CSVAM@sanquin.nl

1.4 Emergency telephone number

Emergency information service ±31 20 512 3599

This number is only available during the following office hours: Mon-

Fri 09:00 - 17:00, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation	3	Skin Irrit. 3	H316
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1A	hazardous to the aquatic environment - acute hazard	3	Aquatic Acute 3	H402
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- signal word Danger

- pictograms

GHS05



Tunisia: en Page: 1 / 15



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

- hazard statements

H290 May be corrosive to metals. H316 Causes mild skin irritation. H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- precautionary statements

P234 Keep only in original packaging. P273 Avoid release to the environment. P280 Wear eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305+P351+P338

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- hazardous ingredients for labelling

tetrasodium ethylenediaminetetraacetate; hydrochloric acid ... %

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not relevant (mixture)

3.2 **Mixtures**

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylene- diaminetetraacetate	CAS No 64-02-8	1-<2.5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373 Aquatic Acute 3 / H402	(1) (2)	
sodium chloride	CAS No 7647-14-5	1-<2.5	Acute Tox. 5 / H303 Acute Tox. 5 / H333		
hydrochloric acid %	CAS No 7647-01-0	1-<2.5	Press. Gas C / H280 Met. Corr. 1 / H290 Acute Tox. 4 / H302 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		B(a) U(b)

Notes

The classification refers to an aqueous solution

B(a): U(b): The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged

Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

Tunisia: en Page: 2 / 15



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

Tunisia: en Page: 3 / 15



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

Tunisia: en Page: 4 / 15





Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available. Countries not listed may have their own country specific values.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture Name of sub-**CAS No Threshold** Protection goal, Used in End-**Exposure time** stance point level route of exposure tetrasodium ethylene-64-02-8 DNFI 1.5 mg/m^3 chronic - local efhuman, inhalatory worker (industry) diaminetetraacetate fects tetrasodium ethylene-64-02-8 **DNEL** 3 mg/m³ human, inhalatory worker (industry) acute - local effects diaminetetraacetate tetrasodium ethylene-64-02-8 **DNEL** 0.6 mg/m³ human, inhalatory consumer (private chronic - local efdiaminetetraacetate households) fects tetrasodium ethylene-**DNEL** acute - local effects 64-02-8 1.2 mg/m³ human, inhalatory consumer (private diaminetetraacetate households) tetrasodium ethylene-64-02-8 **DNEL** 25 mg/kg human, oral consumer (private chronic - systemic diaminetetraacetate bw/day households) effects sodium chloride 7647-14-5 **DNEL** 2,069 mg/ human, inhalatory worker (industry) chronic - systemic m^3 effects 2,069 mg/ sodium chloride 7647-14-5 DNFI human, inhalatory worker (industry) acute - systemic efm³ fects sodium chloride 7647-14-5 DNEL 295.5 mg/ human, dermal worker (industry) chronic - systemic effects kg bw/day sodium chloride 7647-14-5 **DNEL** 295.5 mg/ human, dermal worker (industry) acute - systemic efkg bw/day fects sodium chloride 7647-14-5 **DNEL** chronic - systemic 443.3 mg/ human, inhalatory consumer (private households) effects 443.3 mg/ sodium chloride 7647-14-5 **DNEL** human, inhalatory consumer (private acute - systemic efhouseholds) fects m^3 sodium chloride 7647-14-5 **DNEL** 126.7 mg/ human, dermal consumer (private chronic - systemic kg bw/day households) effects 126.7 mg/ sodium chloride 7647-14-5 DNFI human, dermal consumer (private acute - systemic efkg bw/day households) fects sodium chloride 7647-14-5 **DNEL** human, oral consumer (private chronic - systemic 126.7 mg/ households) effects kg bw/day sodium chloride 7647-14-5 **DNEL** 126.7 mg/ human, oral consumer (private acute - systemic efhouseholds) fects kg bw/day hydrochloric acid ... 7647-01-0 **DNEL** chronic - local ef-8 mg/m³ human, inhalatory worker (industry) % fects

Tunisia: en Page: 5 / 15



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	2.2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.22 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	43 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.72 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
sodium chloride	7647-14-5	PNEC	5 ^{mg} / _I	aquatic organisms	freshwater	short-term (single instance)
sodium chloride	7647-14-5	PNEC	500 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium chloride	7647-14-5	PNEC	4.86 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	45 ^{µg} / _I	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection

Skin protection

Chemical protective clothing.

Tunisia: en Page: 6 / 15



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

material thickness

Use gloves with a minimum material thickness: ≥ 0,38 mm.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture
Evaporation rate	not determined
Flammability	non-combustible
Lower and upper explosion limit	LEL: UEL: not relevant
Flash point	not applicable
Auto-ignition temperature	not relevant
Decomposition temperature	no data available
pH (value)	7-8
Kinematic viscosity	not determined

Tunisia: en Page: 7 / 15





Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

Thumber, 1.0	Date of compliation. 2021-12-09
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	33,900 Torr at 25 °C calculated value, referring to a component of the mixture
Density	not determined
Relative vapour density	this information is not available
Particle characteristics	not relevant (liquid)

9.2 Other information

There is no additional information.

Information with regard to physical hazard classes	there is no additional information
Other safety characteristics	
Miscibility	Completely miscible with water.

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Tunisia: en Page: 8 / 15



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture							
Name of substance	CAS No	Exposure route	ATE				
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	1,913 ^{mg} / _{kg}				
tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1.5 ^{mg} / _l /4h				
sodium chloride	7647-14-5	oral	3,000 ^{mg} / _{kg}				
sodium chloride	7647-14-5	inhalation: dust/mist	>10.5 ^{mg} / _l /4h				
hydrochloric acid %	7647-01-0	oral	700 ^{mg} / _{kg}				

Acute toxicity of components of the mixture Name of substance **CAS No Exposure Endpoint Value Species** tetrasodium ethylenediaminetetraacet-64-02-8 LD50 1,913 mg/kg ate 7647-14-5 $3,000 \frac{mg}{kg}$ sodium chloride oral LD50 rat $>10,000 \frac{\text{mg}}{\text{kg}}$ sodium chloride 7647-14-5 dermal LD50 rabbit $>42 \, {}^{g}/{}_{m^3}/1h$ 7647-14-5 inhalation: dust/ LC50 sodium chloride rat $700 \frac{\text{mg}}{\text{kg}}$ hydrochloric acid ... % 7647-01-0 LD50 7647-01-0 LD50 $>5,010 \frac{mg}{kg}$ hydrochloric acid ... % dermal rabbit 1,562 mg/_l/4h hydrochloric acid ... % 7647-01-0 inhalation: vapour LC50 rat

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Tunisia: en Page: 9 / 15



acc. to GHS-UN

Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixtur	Aquatic toxicity	(acute) o	f components	of the mixture
--	------------------	-----------	--------------	----------------

• • • •					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetet- raacetate	64-02-8	LC50	41 ^{mg} / _l	fish	96 h
tetrasodium ethylenediaminetet- raacetate	64-02-8	EC50	140 ^{mg} / _l	aquatic invertebrates	48 h
sodium chloride	7647-14-5	EC50	4,026 ^{mg} / _l	daphnia magna	48 h
sodium chloride	7647-14-5	LC50	5,840 ^{mg} / _l	fish	96 h
hydrochloric acid %	7647-01-0	LC50	20.5 ^{mg} / _I	bluegill (Lepomis mac- rochirus)	96 h
hydrochloric acid %	7647-01-0	EC50	0.45 ^{mg} / _l	daphnia magna	48 h
hydrochloric acid %	7647-01-0	EC50	0.73 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetet- raacetate	64-02-8	NOEC	≥25.7 ^{mg} / _I	fish	35 d
tetrasodium ethylenediaminetet- raacetate	64-02-8	LOEC	50 ^{mg} / _l	aquatic invertebrates	21 d
tetrasodium ethylenediaminetet- raacetate	64-02-8	growth (EbCx) 20%	>500 ^{mg} / _I	microorganisms	30 min
sodium chloride	7647-14-5	LC50	874 ^{mg} / _I	aquatic invertebrates	24 h
sodium chloride	7647-14-5	EC50	2,430 ^{mg} / _l	algae	120 h
sodium chloride	7647-14-5	NOEC	252 ^{mg} / _l	fish	33 d
sodium chloride	7647-14-5	LOEC	352 ^{mg} / _l	fish	33 d

Tunisia: en Page: 10 / 15





Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sodium chloride	7647-14-5	growth rate (Er- Cx) 16%	5,800 ^{mg} / _l	algae	7 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
tetrasodium ethylenediaminetet- raacetate	64-02-8	1.8		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste (Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Tunisia: en Page: 11 / 15





Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 14: Transport information

14.1 UN number

ADR/RID/ADN UN 1760
IMDG-Code UN 1760
ICAO-TI UN 1760

14.2 UN proper shipping name

ADR/RID/ADN CORROSIVE LIQUID, N.O.S. IMDG-Code CORROSIVE LIQUID, N.O.S.

ICAO-TI Corrosive liquid, n.o.s.

Technical name (Hazardous ingredients) hydrochloric acid ... %, organic compounds of mercury

14.3 Transport hazard class(es)

ADR/RID/ADN 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group

ADR/RID/ADN III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regu-

lations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

No data available.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Classification code C9
Danger label(s) 8



Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	Ε
Hazard identification No	80

Tunisia: en Page: 12 / 15





Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

International Maritime Dangerous Goods Code (IMDG) - additional information

Marine pollutant -

Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

EmS

F-A, S-B

Stowage category

A

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Danger label(s) 8



Special provisions (SP)

Excepted quantities (EQ)

Limited quantities (LQ)

A3

E1

Limited quantities (LQ)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2021-12-09. (YYYY-MM-DD). Version number: 1.0.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand

Tunisia: en Page: 13 / 15





Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

	Date of compliation. 2021-12-03
Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Press. Gas	Gas under pressure
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

Tunisia: en Page: 14 / 15





Calibrators & Controls MabTrack level infliximab

Version number: 1.0 Date of compilation: 2021-12-09

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H280	Contains gas under pressure; may explode if heated.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H316	Causes mild skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H333	May be harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Tunisia: en Page: 15 / 15





Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Human anti-infliximab HRP-conjugate

Article number M2925

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For research use only

Uses advised against

Not suitable for in vitro diagnostic use.

1.3 Details of the supplier of the safety data sheet

Sanquin Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl

Website: www.sanquin.org/reagents

e-mail (competent person) CSVAM@sanquin.nl

1.4 Emergency telephone number

Emergency information service +31 20 512 359

This number is only available during the following office hours: Mon-

Fri 09:00 - 17:00, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This mixture does not meet the criteria for classification.

2.2 Label elements

Labelling

Not required.

- hazardous ingredients for labelling

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain any ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Tunisia: en Page: 1 / 13





Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
reaction mass of: 5- chloro-2-methyl-4-iso- thiazolin-3-one [EC no. 247-500-7] and 2- methyl-4-isothiazolin-3- one [EC no. 220-239-6] (3:1)	CAS No 55965-84-9	<1	Acute Tox. 4 / H302 Acute Tox. 3 / H311 Acute Tox. 4 / H332 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	***************************************	B(a)

Notes

B(a):

The classification refers to an aqueous solution

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

Tunisia: en Page: 2 / 13



acc. to GHS-UN

Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight.

Tunisia: en Page: 3 / 13



acc. to GHS-UN

Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available. Countries not listed may have their own country specific values.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	DNEL	0.02 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	DNEL	0.04 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	DNEL	0.02 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	DNEL	0.04 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	DNEL	0.09 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

Tunisia: en Page: 4 / 13



Reagents

no. 220-239-6] (3:1)

acc. to GHS-UN

Human anti-infliximab HRP-conjugate

Date of compilation: 2021-12-09 Version number: 1.0

Relevant DNELs of components of the mixture **CAS No** End-**Threshold** Protection goal, Used in **Exposure time** Name of subroute of expos-ure stance point level 55965-84-9 DNEL acute - systemic efreaction mass of: 5-0.11 mg/kg human, oral consumer (private chloro-2-methyl-4bw/day households) fects isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso-thiazolin-3-one [EC

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	PNEC	3.39 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	PNEC	3.39 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	PNEC	0.23 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	PNEC	0.027 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	PNEC	0.027 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	PNEC	0.01 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

Tunisia: en Page: 5 / 13



acc. to GHS-UN

Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection

Skin protection



Chemical protective clothing.

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >10 minutes (permeation: level 1).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	various
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture
Evaporation rate	not determined
Flammability	non-combustible

Tunisia: en Page: 6 / 13





Human anti-infliximab HRP-conjugate

Date of compilation: 2021-12-09 Version number: 1.0

Lower and upper explosion limit	LEL: UEL: not relevant
Flash point	not applicable
Auto-ignition temperature	not relevant
Decomposition temperature	no data available
pH (value)	6.8 - 7.2
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	not determined
Density	1 ⁹ / _{cm³}
Particle characteristics	not relevant (liquid)
Other information	
There is no additional information.	

9.2

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	
Miscibility	Completely miscible with water.

SECTION 10: Stability and reactivity

Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

Tunisia: en Page: 7 / 13



acc. to GHS-UN

Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

This mixture does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin- 3-one [EC no. 220-239-6] (3:1)	55965-84-9	oral	457 ^{mg} / _{kg}			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin- 3-one [EC no. 220-239-6] (3:1)	55965-84-9	dermal	660 ^{mg} / _{kg}			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin- 3-one [EC no. 220-239-6] (3:1)	55965-84-9	inhalation: vapour	11 ^{mg} / _l /4h			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-4-isothiazolin- 3-one [EC no. 220-239-6] (3:1)	55965-84-9	inhalation: dust/mist	2.36 ^{mg} / _/ /4h			

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	oral	LD50	457 ^{mg} / _{kg}	rat
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	inhalation: dust/ mist	LC50	2.36 ^{mg} / _l /4h	rat
reaction mass of: 5-chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	dermal	LD50	660 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Tunisia: en Page: 8 / 13





Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	LC50	0.19 ^{mg} / _l	fish	96 h
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	EC50	0.16 ^{mg} / _l	aquatic invertebrates	48 h
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	ErC50	19.9 ^{µg} / _l	algae	72 h
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	NOEC	0.13 ^{mg} / _l	fish	96 h

Tunisia: en Page: 9 / 13





Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	LC50	0.07 ^{mg} / _l	fish	14 d
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	EC50	>0.18 ^{mg} / _l	aquatic invertebrates	21 d
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	ErC50	45.6 ^{µg} / _I	algae	120 h
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	NOEC	≥46.4 ^{µg} / _I	fish	35 d
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	LOEL	0.06 ^{mg} / _l	fish	36 d
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-iso- thiazolin-3-one [EC no. 220-239-6] (3:1)	55965-84-9	LOEC	0.144 ^{mg} / _l	fish	28 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.

Tunisia: en Page: 10 / 13





Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number	not subject to transport regulations
----------------	--------------------------------------

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regu-

lations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

No data available.

Information for each of the UN Model Regulations

$\begin{tabular}{ll} Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information \\ \end{tabular}$

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

Tunisia: en Page: 11 / 13



Human anti-infliximab HRP-conjugate

Date of compilation: 2021-12-09 Version number: 1.0

SECTION 16: Other information

Revision

Date of compilation: 2021-12-09. (YYYY-MM-DD). Version number: 1.0.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LOEC	Lowest Observed Effect Concentration
LOEL	Lowest Observed Effect Level
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

Tunisia: en Page: 12 / 13



acc. to GHS-UN

Human anti-infliximab HRP-conjugate

Version number: 1.0 Date of compilation: 2021-12-09

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product. For this product it is not legally required to provide an SDS under Article 31 of the REACH Regulation, because the product is not classified as hazardous. This document is prepared as a voluntary and additional service to provide general safety information.

Tunisia: en Page: 13 / 13



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name HPE Dilution Buffer
Article number article number, M2940

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For research use only

Uses advised against Do not use for squirting or spraying. Not suitable for in vitro dia-

gnostic use.

1.3 Details of the supplier of the safety data sheet

Sanquin Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl

Website: www.sanquin.org/reagents

e-mail (competent person) CSVAM@sanquin.nl

1.4 Emergency telephone number

Emergency information service ±31 20 512 3599

This number is only available during the following office hours: Mon-

Fri 09:00 - 17:00, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class		Hazard class and category	Hazard state- ment
2.16	substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	skin corrosion/irritation		Skin Irrit. 3	H316
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1A	1A hazardous to the aquatic environment - acute hazard		Aquatic Acute 3	H402
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

- signal word Danger

- pictograms

GHS05



Tunisia: en Page: 1 / 15





HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

- hazard statements

H290 May be corrosive to metals. H316 Causes mild skin irritation. H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

- precautionary statements

P234 Keep only in original packaging. P273 Avoid release to the environment. P280 Wear eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305+P351+P338

easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor. P390 Absorb spillage to prevent material damage.

P406 Store in a corrosion resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- hazardous ingredients for labelling

tetrasodium ethylenediaminetetraacetate; hydrochloric acid ... %

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not relevant (mixture)

3.2 **Mixtures**

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
tetrasodium ethylene- diaminetetraacetate	CAS No 64-02-8	1-<2.5	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Eye Dam. 1 / H318 STOT RE 2 / H373 Aquatic Acute 3 / H402	(1) (2)	
sodium chloride	CAS No 7647-14-5				
hydrochloric acid %	CAS No 7647-01-0	No 1 - < 2.5 Press. Gas C / H280			B(a) U(b)

Notes

The classification refers to an aqueous solution

B(a): U(b): The allocation to the group 'compressed gas' is based on the physical state in which the gas is packaged

Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

Tunisia: en Page: 2 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Substance or mixture corrosive to metals.

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

Tunisia: en Page: 3 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- corrosive conditions

Store in corrosive resistant container with a resistant inner liner.

- incompatible substances or mixtures

Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

Tunisia: en Page: 4 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

- packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

No information available. Countries not listed may have their own country specific values.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture Name of sub-**CAS No Threshold** Protection goal, Used in End-**Exposure time** stance point level route of exposure tetrasodium ethylene-64-02-8 DNFI 1.5 mg/m^3 chronic - local efhuman, inhalatory worker (industry) diaminetetraacetate fects tetrasodium ethylene-64-02-8 **DNEL** 3 mg/m³ human, inhalatory worker (industry) acute - local effects diaminetetraacetate tetrasodium ethylene-64-02-8 **DNEL** 0.6 mg/m³ human, inhalatory consumer (private chronic - local efdiaminetetraacetate households) fects tetrasodium ethylene-**DNEL** acute - local effects 64-02-8 1.2 mg/m³ human, inhalatory consumer (private diaminetetraacetate households) tetrasodium ethylene-64-02-8 **DNEL** 25 mg/kg human, oral consumer (private chronic - systemic diaminetetraacetate bw/day households) effects sodium chloride 7647-14-5 **DNEL** 2,069 mg/ human, inhalatory worker (industry) chronic - systemic m^3 effects 2,069 mg/ sodium chloride 7647-14-5 DNFI human, inhalatory acute - systemic efworker (industry) m³ fects sodium chloride 7647-14-5 DNEL 295.5 mg/ human, dermal worker (industry) chronic - systemic effects kg bw/day sodium chloride 7647-14-5 **DNEL** 295.5 mg/ human, dermal worker (industry) acute - systemic efkg bw/day fects sodium chloride 7647-14-5 **DNEL** chronic - systemic 443.3 mg/ human, inhalatory consumer (private households) effects 443.3 mg/ sodium chloride 7647-14-5 **DNEL** human, inhalatory consumer (private acute - systemic efhouseholds) fects m^3 sodium chloride 7647-14-5 **DNEL** 126.7 mg/ human, dermal consumer (private chronic - systemic kg bw/day households) effects 126.7 mg/ sodium chloride 7647-14-5 DNFI human, dermal consumer (private acute - systemic efkg bw/day households) fects sodium chloride 7647-14-5 **DNEL** human, oral consumer (private chronic - systemic 126.7 mg/ households) effects kg bw/day sodium chloride 7647-14-5 **DNEL** 126.7 mg/ human, oral consumer (private acute - systemic efhouseholds) fects kg bw/day 7647-01-0 **DNEL** chronic - local efhydrochloric acid ... 8 mg/m³ human, inhalatory worker (industry) % fects

Tunisia: en Page: 5 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
hydrochloric acid %	7647-01-0	DNEL	8 mg/m ³	human, inhalatory	consumer (private households)	chronic - local ef- fects
hydrochloric acid %	7647-01-0	DNEL	15 mg/m ³	human, inhalatory	consumer (private households)	acute - local effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	2.2 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.22 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	43 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
tetrasodium ethylene- diaminetetraacetate	64-02-8	PNEC	0.72 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
sodium chloride	7647-14-5	PNEC	5 ^{mg} / _I	aquatic organisms	freshwater	short-term (single instance)
sodium chloride	7647-14-5	PNEC	500 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sodium chloride	7647-14-5	PNEC	4.86 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _I	aquatic organisms	freshwater	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _I	aquatic organisms	marine water	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	36 ^{µg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
hydrochloric acid %	7647-01-0	PNEC	45 ^{µg} / _I	aquatic organisms	water	intermittent release

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection

Skin protection



Chemical protective clothing.

Tunisia: en Page: 6 / 15



HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

material thickness

Use gloves with a minimum material thickness: ≥ 0,38 mm.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid		
Colour	various		
Odour	characteristic		
Melting point/freezing point	not determined		
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture		
Evaporation rate	not determined		
Flammability	non-combustible		
Lower and upper explosion limit	LEL: UEL: not relevant		
Flash point	not applicable		
Auto-ignition temperature	not relevant		
Decomposition temperature	no data available		
pH (value)	7-8		
Kinematic viscosity	not determined		

Tunisia: en Page: 7 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient n-octanol/water (log value)	this information is not available
Vapour pressure	33,900 Torr at 25 °C calculated value, referring to a component of the mixture
Density	not determined
Relative vapour density	this information is not available
Particle characteristics	not relevant (liquid)

9.2 Other information

There is no additional information.

Information with regard to physical hazard classes	there is no additional information				
Other safety characteristics					
Miscibility	Completely miscible with water.				

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

Tunisia: en Page: 8 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance	CAS No	Exposure route	ATE			
tetrasodium ethylenediaminetetraacetate	64-02-8	oral	1,913 ^{mg} / _{kg}			
tetrasodium ethylenediaminetetraacetate	64-02-8	inhalation: dust/mist	1.5 ^{mg} / _l /4h			
sodium chloride	7647-14-5	oral	3,000 ^{mg} / _{kg}			
sodium chloride	7647-14-5	inhalation: dust/mist	>10.5 ^{mg} / _l /4h			
hydrochloric acid %	7647-01-0	oral	700 ^{mg} / _{kg}			

Acute toxicity of components of the mixture Exposure Name of substance **CAS No Endpoint Value Species** $1,913 \, ^{mg}/_{kg}$ tetrasodium ethylenediaminetetraacet-64-02-8 oral LD50 ate 7647-14-5 LD50 $3,000 \frac{mg}{kg}$ sodium chloride oral rat $>10,000 \frac{mg}{ka}$ sodium chloride 7647-14-5 dermal LD50 rabbit $>42 \, {}^{g}/{}_{m^{3}}/1h$ sodium chloride 7647-14-5 inhalation: dust/ LC50 rat hydrochloric acid ... % 7647-01-0 LD50 $700 \frac{\text{mg}}{\text{kg}}$ rat 7647-01-0 LD50 $>5,010 \frac{mg}{kg}$ hydrochloric acid ... % dermal rabbit 1,562 mg/_l/4h hydrochloric acid ... % 7647-01-0 inhalation: vapour LC50 rat

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Tunisia: en Page: 9 / 15





HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture	Aquatic toxicity	(acute) d	of components	of the mixture
---	------------------	-----------	---------------	----------------

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetet- raacetate	64-02-8	LC50	41 ^{mg} / _l	fish	96 h
tetrasodium ethylenediaminetet- raacetate	64-02-8	EC50	140 ^{mg} / _l	aquatic invertebrates	48 h
sodium chloride	7647-14-5	EC50	4,026 ^{mg} / _l	daphnia magna	48 h
sodium chloride	7647-14-5	LC50	5,840 ^{mg} / _l	fish	96 h
hydrochloric acid %	7647-01-0	LC50	20.5 ^{mg} / _l	bluegill (Lepomis mac- rochirus)	96 h
hydrochloric acid %	7647-01-0	EC50	0.45 ^{mg} / _I	daphnia magna	48 h
hydrochloric acid %	7647-01-0	EC50	0.73 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
tetrasodium ethylenediaminetet- raacetate	64-02-8	NOEC	≥25.7 ^{mg} / _I	fish	35 d
tetrasodium ethylenediaminetet- raacetate	64-02-8	LOEC	50 ^{mg} / _l	aquatic invertebrates	21 d
tetrasodium ethylenediaminetet- raacetate	64-02-8	growth (EbCx) 20%	>500 ^{mg} / _I	microorganisms	30 min
sodium chloride	7647-14-5	LC50	874 ^{mg} / _I	aquatic invertebrates	24 h
sodium chloride	7647-14-5	EC50	2,430 ^{mg} / _l	algae	120 h
sodium chloride	7647-14-5	NOEC	252 ^{mg} / _l	fish	33 d
sodium chloride	7647-14-5	LOEC	352 ^{mg} / _l	fish	33 d

Tunisia: en Page: 10 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
tetrasodium ethylenediaminetet- raacetate	64-02-8	1.8		

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste (Basel Convention)

Properties of waste which render it hazardous

H8 Corrosives

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

Tunisia: en Page: 11 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 14: Transport information

14.1 UN number

ADR/RID/ADN UN 1760
IMDG-Code UN 1760
ICAO-TI UN 1760

14.2 UN proper shipping name

ADR/RID/ADN CORROSIVE LIQUID, N.O.S. IMDG-Code CORROSIVE LIQUID, N.O.S.

ICAO-TI Corrosive liquid, n.o.s.

Technical name (Hazardous ingredients) hydrochloric acid ... %, organic compounds of mercury

14.3 Transport hazard class(es)

ADR/RID/ADN 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group

ADR/RID/ADN III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regu-

lations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

No data available.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Classification code C9
Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E1


Limited quantities (LQ) 5 L

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 80

Tunisia: en Page: 12 / 15





HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

International Maritime Dangerous Goods Code (IMDG) - additional information

Marine pollutant

8 Danger label(s)



223, 274 Special provisions (SP) E1 Excepted quantities (EQ) 5 L Limited quantities (LQ) F-A, S-B **EmS** Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Danger label(s)



Special provisions (SP) АЗ Excepted quantities (EQ) E1 1 L Limited quantities (LQ)

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2021-12-09. (YYYY-MM-DD). Version number: 1.0.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand

Tunisia: en Page: 13 / 15





HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

	Date of compliation, 2021-12 03
Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Press. Gas	Gas under pressure
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

Tunisia: en Page: 14 / 15



acc. to GHS-UN

HPE Dilution Buffer

Version number: 1.0 Date of compilation: 2021-12-09

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H280	Contains gas under pressure; may explode if heated.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H303	May be harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H316	Causes mild skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H333	May be harmful if inhaled.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H402	Harmful to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Tunisia: en Page: 15 / 15





Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Stop solution

Article number M1823

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses For research use only

Uses advised against

Not suitable for in vitro diagnostic use.

1.3 Details of the supplier of the safety data sheet

Sanquin Plesmanlaan 125 1066 CX Amsterdam Netherlands

Telephone: +31 20 512 3599 e-mail: reagents@sanquin.nl

Website: www.sanquin.org/reagents

e-mail (competent person) CSVAM@sanquin.nl

1.4 Emergency telephone number

Emergency information service +31 20 512 359

This number is only available during the following office hours: Mon-

Fri 09:00 - 17:00, (CET)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	3	Skin Irrit. 3	H316

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling

signal word Warningpictograms Not required.

- hazard statements

H316 Causes mild skin irritation.

- precautionary statements

P332+P313 If skin irritation occurs: Get medical advice/attention.

2.3 Other hazards

Of no significance.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Tunisia: en Page: 1 / 11



acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

The product does not contain any other ingredients which are classified according to present knowledge of the supplier and contribute to the classification of the product and hence require reporting in this section.

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
sulphuric acid	CAS No 7664-93-9	1-<2.5	Acute Tox. 5 / H303 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 Aquatic Acute 3 / H402 Aquatic Chronic 2 / H411		B(a) IARC: 1 RoC "Known"

Notes

B(a): The classification refers to an aqueous solution

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

RoC NTP-RoC: Known To Be A Human Carcinogen

"Known":

Remarks

For full text of H-phrases: see SECTION 16. All the percentages given are percentages by weight unless stated otherwise.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Irrigate copiously with clean, fresh water for at least 15 minutes, holding the eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

For specialist advice physicians should contact the poison centre.

Tunisia: en Page: 2 / 11



acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam; Dry extinguishing powder; Carbon dioxide (CO2); Co-ordinate firefighting measures to the fire surroundings.

Unsuitable extinguishing media

Water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

During fire hazardous fumes/smoke could be produced.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

Self-contained breathing apparatus (SCBA). Standard protective clothing for firefighters.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Use personal protective equipment as required.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece).

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Tunisia: en Page: 3 / 11



acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas. Never add water to this product.
- handling of incompatible substances or mixtures Do not mix with alkali.

- keep away from

Caustic solutions

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- incompatible substances or mixtures Keep away from alkalis, oxidising substances, acids.

Control of effects

Protect against external exposure, such as

High temperatures. UV-radiation/sunlight. Frost.

Consideration of other advice

Store in a well-ventilated place. Keep container tightly closed.

- packaging compatibilities Keep only in original container.

7.3 Specific end use(s)

There is no additional information.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

No information available.

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
sulphuric acid	7664-93-9	DNEL	0.05 mg/m ³	human, inhalatory	worker (industry)	chronic - local ef- fects
sulphuric acid	7664-93-9	DNEL	0.1 mg/m ³	human, inhalatory	worker (industry)	acute - local effects

Tunisia: en Page: 4 / 11



acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
sulphuric acid	7664-93-9	PNEC	0.003 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
sulphuric acid	7664-93-9	PNEC	0 ^{mg} / _I	aquatic organisms	marine water	short-term (single instance)
sulphuric acid	7664-93-9	PNEC	8.8 ^{mg} / _I	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
sulphuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
sulphuric acid	7664-93-9	PNEC	0.002 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection

Skin protection



Chemical protective clothing.

- hand protection



Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- type of material

PVC: polyvinyl chloride, CR: chloroprene (chlorobutadiene) rubber, Nitrile rubber

- material thickness

Use gloves with a minimum material thickness: ≥ 0,38 mm.

- breakthrough times of the glove material

Use gloves with a minimum breakthrough times of the glove material: >480 minutes (permeation: level 6).

- other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling. Provide eyewash stations and safety showers at the workplace.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Type: ABEK-P2 (combined filters against gases, vapours and particles, colour code: Brown/Grey/Yellow/Green/White).

Environmental exposure controls

Take appropriate precautions to avoid uncontrolled release into the environment. Keep away from drains, surface and ground water.

Tunisia: en Page: 5 / 11



acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

information on basic physical and chemical properties					
Physical state	liquid				
Colour	clear				
Odour	characteristic				
Melting point/freezing point	not determined				
Boiling point or initial boiling point and boiling range	100 °C calculated value, referring to a component of the mixture				
Evaporation rate	not determined				
Flammability	non-combustible				
Lower and upper explosion limit	LEL: UEL: not relevant				
Flash point	not applicable				
Auto-ignition temperature	not relevant				
Decomposition temperature	no data available				
pH (value)	0.8 – 1 (acid)				
Kinematic viscosity	not determined				
Solubility(ies)					
Water solubility	miscible in any proportion				
Partition coefficient n-octanol/water (log value)	this information is not available				
Vapour pressure	not determined				
Density	not determined				
Relative vapour density	this information is not available				
	_				

9.2 Other information

There is no additional information.

Particle characteristics

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant

not relevant (liquid)

Tunisia: en Page: 6 / 11



acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

Other safety characteristics

Miscibility	Completely miscible with water.
-------------	---------------------------------

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers.

Release of flammable materials with:

Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

- acute toxicity of components of the mixture

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE		
sulphuric acid	7664-93-9	oral	2,140 ^{mg} / _{kg}		
sulphuric acid	7664-93-9	inhalation: vapour	3 ^{mg} / _l /4h		
sulphuric acid	7664-93-9	inhalation: dust/mist	0.85 ^{mg} / _l /4h		

Tunisia: en Page: 7 / 11





Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

Acute toxicity of components of the n	nixture				
Name of substance	CAS No	Exposure route	Endpoint	Value	Specie
sulphuric acid	7664-93-9	oral	LD50	2,140 ^{mg} / _{kg}	rat

inhalation: dust/

LC50

0.85 mg/_l/4h

mouse

7664-93-9

Skin corrosion/irritation

Causes mild skin irritation.

Serious eye damage/eye irritation

sulphuric acid

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture						
Name of substance	CAS No	Endpoint	Value	Species	Exposure time	
sulphuric acid	7664-93-9	LC50	<28 ^{mg} / _l	fish	96 h	
sulphuric acid	7664-93-9	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h	
sulphuric acid	7664-93-9	ErC50	>100 ^{mg} / _I	algae	72 h	

Tunisia: en Page: 8 / 11



acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
sulphuric acid	7664-93-9	NOEC	0.31 ^{mg} / _l	fish	213 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1 UN number not subject to transport regulations

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regu-

lations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

No data available.

Tunisia: en Page: 9 / 11



Sanquin

acc. to GHS-UN

Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture There is no additional information.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Revision

Date of compilation: 2021-12-09. (YYYY-MM-DD). Version number: 1.0.

Abbreviations and acronyms

	·
Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
GHS-UN	Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book")
IARC	International Agency for Research on Cancer

Tunisia: en Page: 10 / 11





Stop solution

Version number: 1.0 Date of compilation: 2021-12-09

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NOEC	No Observed Effect Concentration
NTP-RoC	National Toxicology Program: Report on Carcinogens
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
UEL	Upper explosion limit (UEL)
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Globally Harmonized System of Classification and Labelling of Chemicals ("Purple book").

UN Recommendations on the Transport of Dangerous Good. International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text				
H303	May be harmful if swallowed.				
H314	Causes severe skin burns and eye damage.				
H316	Causes mild skin irritation.				
H318	Causes serious eye damage.				
H331	Toxic if inhaled.				
H402	Harmful to aquatic life.				
H411	Toxic to aquatic life with long lasting effects.				

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Tunisia: en Page: 11 / 11